



PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant(s) James Mantyla Examiner: Eloshway, C.R.  
Serial No.: 10/067,606 Group Art Unit: 3751  
Confirmation No.: 5890 Docket: 669-78  
Filed: February 5, 2002 Dated: January 20, 2004  
For: P-TRAP FOR DRAINAGE  
SYSTEMS

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

*I hereby certify this correspondence is being deposited with  
the United States Postal Service as first class mail, postpaid  
in an envelope, addressed to: Commissioner for Patents,  
P.O. Box 1450, Alexandria, Virginia 22313-1450  
on January 20, 2004*

Signed: Barbara Thomas

RECEIVED  
JAN 29 2004  
TECHNOLOGY CENTER

#10/B  
1/30/04  
O'Brien

**AMENDMENT AND RESPONSE**

Sir:

This is in response to the final office action dated October 20, 2003 and accompanies a  
Request for Continued Examination (RCE).

In response to the office action, the applicant proposes to amend the application as  
follows:

**Amendment to the Claims** are reflected in the listing of claims which begins on page 2 of  
this paper.

**Remarks** begin on page 7 of this paper.